

KuroLok™

ROLLER SHADES





GET A GRIP

KuroLok™ builds on the success of the tried and trusted **Kuro™** blackout blind. An enlightened darkening system for easily and reliably alternating between the benefits of daylight and the need for shading.

Two things set **KuroLok™** apart amongst blackout blinds. Firstly, the edges of the fabric are securely gripped along their entire length within the side channel. Secondly, because the fabric edge is retained, the side channels can be ultra-slim.

In fact, at only 35mm, the channels are at least 40% smaller than most blackout blind systems, meaning you get a very discreet appearance, and more daylight when the blinds are open.

And the advantages of **KuroLok™** are not limited to blackout blinds. Most sunscreening or shading fabrics can also be used and get the benefit of the fabric being locked into the side guides.

This feature comes into its own on horizontal or inclined applications, such as rooflights and atria, helping to keep fabric taut and reduce sagging.

When you need a versatile and reliable daylight control system with numerous options and applications, get a grip with **KuroLok™**.

KuroLok™ : Brighter Shading™

NEW
fabric locked in side channels



N.B. This diagram is for illustration purposes only

KUROLOK™ ROLLER SHADE FEATURES



FAST AND SMOOTH

- Side chain operation**
- German-made heavy duty mechanism.
 - 2Nm lifting force.
 - 1:1 direct drive.



STRONG AND LIGHT

- Crank handle operation**
- German-made gearbox.
 - 3.5Nm lifting force.
 - 3:1 reduction gear.



SAFE AND EASY

- Crank handle operation**
- Safer option - no hanging chains.
 - Handles can be fixed or detachable.
 - Detachable handles prevent unauthorised use.




ULTIMATE CONTROL

- Motorised operation**
- European-made motors.
 - 5Nm lifting force.
 - Hardwired switch or radio remote control.


PROFILE DIMENSIONS

Cassette

Fascia removable within 100mm (minimum) pocket



Side Channel



KUROLOK™ ROOFLIGHT

- Double box system featuring constant tension spring units.
- Suitable for horizontal or sloping glazing.
- Crank handle or motorised operation.

- Aluminium hardware is available in white powder coated finish as standard. Powder coating to any RAL colour is available on request.



AVAILABLE OPTIONS

	HELIOS	SIRIOS	ORBIS	KURO	KUROLOK
MAXIMUM DIMENSIONS	↔ ↑ ↕	↔ ↑ ↕	↔ ↑ ↕	↔ ↑ ↕	↔ ↑ ↕
Manual chain	4.0m 4.0m 8m ²	2.5m 2.5m 5m ²	1.8m 1.8m 3m ²	4.0m 3.6m 8m ²	2m 2m 4m ²
Manual crank handle	4.0m 4.0m 14m ²	2.5m 2.5m 5m ²	1.8m 1.8m 3m ²	4.0m 3.6m 14m ²	4.0m 3.6m 14m ²
Motorised 230V AC	4.0m 4.0m 16m ²	Not available	Not available	4.0m 3.6m 14m ²	4.0m 3.6m 14m ²
Motorised low voltage DC	Not available	2.5m 2.5m 5m ²	1.8m 1.8m 3m ²	Not available	Not available
Motorised solar powered	Not available	2.0m 2.0m 4m ²	Not available	Not available	Not available
Tension corded	Not available	Not available	1.0m 1.8m 1.8m ²	Not available	Not available
SPECIFICATION OPTIONS					
Can be coupled	✓	✓	✗	✓	✓
Fascia	✓	✓	✗	n/a	n/a
Cassette	✓	✓	✓	✓	✓
Side channels	Use Kuro	✓	✓	✓	✓
Side guidewires	✓	✓	✓	n/a	n/a
Rooflight	✓	✗	✓	✓	✓
Blackout	Use Kuro	✗	✗	✓	✓

The above table is for guidance only. Calculations are based on fabric of 450g/m² weight and 0.5mm thickness. If you have specific requirements which you cannot see here, please contact us.

In line with our policy of continuous product development, we reserve the right to alter specifications without notice.

*All warranties are subject to our terms and conditions, available on request.

FABRICS

For the ultimate roller shades, we combine the high-quality hardware featured in this brochure with high-performance fabrics. We only work with flame retardant fabrics and offer a wide choice of plain, sunscreen, blackout or film materials.

Why not personalise your roller shade? Ask about our digital print service. Include your logo, message or photographs to create a truly bespoke finished product.

Swanmac • Ltd

t: 029 2081 1458
e: sales@swanmac.com
www.swanmac.com

